



# HƯỚNG DẪN LẮP ĐẶT

## Installation instructions

Cảm ơn quý khách hàng đã tin tưởng và sử dụng sản phẩm của INOXA Việt Nam.

Để đảm bảo phụ kiện được lắp đặt chính xác, hoạt động bền bỉ và đạt hiệu suất tối ưu theo tiêu chuẩn kỹ thuật, vui lòng đọc kỹ toàn bộ hướng dẫn trước khi tiến hành lắp đặt.

# HƯỚNG DẪN LẮP ĐẶT GIÁ ĐAO THỚT ĐA NĂNG INOX NAN OVAL

## CÔNG TÁC CHUẨN BỊ

- Hãy chuẩn bị đầy đủ tất cả các bộ phận cần thiết bằng cách kiểm tra danh sách các bộ phận của từng loại sản phẩm theo giấy hướng dẫn có sẵn trong thùng. Nếu như bất kỳ bộ phận nào bị thiếu hoặc hư hỏng, vui lòng liên hệ với dịch vụ chăm khách hàng của Inoxa theo số hotline: **1900 4538** để được thay thế.

- Tuân thủ tất cả các quy tắc lắp đặt và sử dụng các ốc vít đi kèm để đảm bảo sự hoạt động tốt nhất của sản phẩm.

- Những dụng cụ cần có khi lắp đặt:

<b>Khoan vít</b>	
<b>Tua vít 4 cạnh</b>	
<b>Thước mét</b>	
<b>Thước vuông</b>	
<b>Bút đánh dấu</b>	

## Hướng dẫn lắp đặt

Việc lắp đặt phụ kiện bếp INOXA vô cùng đơn giản và thuận tiện, phù hợp cho cả người dùng cá nhân lẫn thợ kỹ thuật. Tất cả sản phẩm của INOXA đều được trang bị hướng dẫn lắp đặt chi tiết, kèm dưỡng đánh dấu vị trí bắt vít chính xác, giúp người dùng dễ dàng thao tác mà không cần dụng cụ chuyên dụng phức tạp. Nhờ đó, việc hoàn thiện không gian bếp trở nên dễ dàng, tiết kiệm thời gian mà vẫn đảm bảo tính thẩm mỹ và chắc chắn.

Dưới đây là bản vẽ hướng dẫn lắp đặt: “Giá dao thớt đa năng inox nan Oval” của INOXA Việt Nam. Hãy click vào để xem chi tiết:



## INOXA MULTI PURPOSE BASKET INSTALLTION INTRUCTION

<p>1. Please read the instructions carefully before installing the basket.</p> <p>2. These instructions are based on a cabinet width of 400 millimetres.</p> <p>3. The number of baskets supplied shall be determined by the quantity purchased.</p>	Parts List																		
	Main frame (1pc)	Base (1pc)	Guide rails (1 set)	Connecting piece (1pc)	Water tray (1pc)	Chopstick Case A (1pc)	Chopstick Case B (1pc)	Shallow baskets (2-piece set)	Deep basket (1 pc)	Divider strips (9 pieces)	Screw								
											Countersunk screws ST4x16 (20 pieces) Flat-head screws M5x25 (2 pieces)								
<p><b>(1) Separation: Main frame and base</b></p> <p>1. Loosen the four large flat M5x10 screws to separate the main frame from the base.</p>			<p><b>(2) Installation: Base and Guide Rails</b></p> <p>1. Using a large flat M5x25 screw, attach the base to the guide rail.</p>			<p><b>(3) Installation: Base, guide rails to frame</b></p> <p>1. Mark a line at 10mm as per the diagram below, position it centrally within the cabinet, and secure it using a countersunk ST4x16 screw.</p>													
<p><b>(4) Installation: Main Frame and Adjustable Swing Wheel</b></p> <p>1. Place the main frame with the water tray fitted onto the base and secure it using a large flat M5x10 screw.</p> <p>2. Loosen the swing wheel screw, press the swing wheel flush against the cabinet side panel, then retighten the screw.</p>			<p><b>(5) Installation: Connecting Components</b></p> <p>1. Mark the cabinet panels as shown in the diagram below.</p> <p>2. Align the connecting components and secure them using countersunk ST4x16 screws.</p> <p>3. Mark the cabinet panels according to the cabinet dimensions, as shown in the table below.</p> <p>Make three markings</p> <table border="1"> <thead> <tr> <th>Cabinet dimensions/mm</th> <th>400</th> <th>350</th> <th>300</th> </tr> </thead> <tbody> <tr> <td>L/mm</td> <td>323</td> <td>273</td> <td>223</td> </tr> </tbody> </table>									Cabinet dimensions/mm	400	350	300	L/mm	323	273	223
Cabinet dimensions/mm	400	350	300																
L/mm	323	273	223																
<p><b>(6) Installation: Fit the door panel and ensure it is level.</b></p> <p>1. Fit the cabinet panel by inserting M5x16 screws into the elongated holes of the base unit.</p> <p>2. The cabinet panel may be adjusted using the M5x16 and M5x35 screws with washers, following the direction indicated by the arrows. Once the cabinet panel is correctly positioned, tighten the screws. Finally, secure the cabinet panel using the countersunk ST4x16 screws.</p>			<p><b>(7) Installation: Water tray, chopstick holder A, chopstick holder B, shallow basket, deep basket, divider strip</b></p> <p>1. Pull the cabinet panel handle to test whether the basket slides out or retracts smoothly.</p> <p>2. Fit the water tray, chopstick holder A, chopstick holder B, shallow basket, deep basket, and divider strip onto the main frame. As shown below, the 400 cabinet's seasoning basket assembly is now complete.</p>																

INOXA HIGH - END KITCHEN HARDWARE  
Adjustable multi purpose seasoning system  
All rights reserved by INOXA  
Inspired by Italian design  
www.inoxa.com.vn

Patent NO.: IN02132945.26

Website: [inox.com.vn](http://inox.com.vn) | Hotline: 1900.4538

Bản quyền thuộc Công ty TNHH INOXA Việt Nam. Thông số kỹ thuật và kích thước có thể thay đổi mà không cần báo trước.

Ngoài ra, INOXA Việt Nam còn cung cấp các video hướng dẫn trực quan trên kênh Youtube: "**INOXA VIỆT NAM**", giúp bạn theo dõi từng bước lắp đặt một cách nhanh chóng và hiệu quả. Hãy truy cập vào đường link sau để xem chi tiết:

Link Youtube: <https://www.youtube.com/@Inoxa.vietnam>

Hoặc quét mã QR:



📞 Nếu Quý khách hàng có bất kỳ thắc mắc nào trong quá trình lắp đặt, xin vui lòng liên hệ Tổng đài CSKH: **1900 4538** để được hỗ trợ nhanh nhất.

***INOXA – Giải pháp hoàn hảo cho không gian bếp!***